L Number	Hits	Search Text	DB	Time stamp
–	8131	modem with processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:01
–	35863	modem with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:56
–	3058	modem with (deactivat$3 or off)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:00
–	2086	(modem with data) and (modem with (deactivat$3 or off))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:59
–	507643	power adj supply	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:00
–	53061	(power adj supply) with (deactivat$3 or off)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:00
–	6	(modem with data) with reciev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:02
–	0	(modem with (deactivat$3 or off)) with reciev$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:02
–	641	(modem with (deactivat$3 or off)) with receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:03
–	12662	(modem with data) with receiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:02
–	252	((modem with (deactivat$3 or off)) with receiv$4) with (modem with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:03
–	3151	modem near3 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:02
–	250375	inactiv$4 or deactiv$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:18
–	603	modem adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:50

–	145	(modem adj processor) with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 13:33
–	3178	(inactiv$4 or deactiv$4) with processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:19
–	26	((inactiv$4 or deactiv$4) with processor) with modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:19
–	1	5727020.URPN.	USPAT	2003/01/29 14:25
–	18	("4418320" | "4630314" | "4646329" | "4665519" | "4682344" | "4893347" | "4951309" | "4987571" | "5020093" | "5138328" | "5230094" | "5231647" | "5313211" | "5317707" | "5347304" | "5428790" | "5444737" | "5555287").PN.	USPAT	2003/01/29 14:25
–	2	5169531.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:48
–	111	(Research In Motion Limited).asnm. and (Waterloo).asci.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 09:27
–	207564	power with consumption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:56
–	13664	power with management	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:55
–	10694	modem.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:57
–	267	(power with consumption) and modem.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:57
–	62	(power with management) and modem.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:04
–	11644	modem same (memory with (communication or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:10
–	3596	(modem same (memory with (communication or data))) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:11

-	2100	modem same (memory with (communication and data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:11
-	462	modem same processor same (memory with (communication and data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:12
-	35	(modem same processor same (memory with (communication and data))) and ((power with consumption) or (power with management))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:15
-	46	(processor with off) and (processor with on)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:16
-	1059	(processor with deactivat$3) and (processor with activat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:16
-	149	(((processor with off) and (processor with on)) or ((processor with deactivat$3) and (processor with activat$3))) and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:17
-	18	(Research In Motion Limited).asnm. and (Waterloo).asci. and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 09:27
-	2049	(Research In Motion Limited).asnm. and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 10:04
-	22	(Research adj In adj Motion adj Limited).asnm. and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 09:29
-	466	((non$1volitile or flash) adj memory) with modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:25
-	81	(((non$1volitile or flash) adj memory) with modem) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:26
-	792	((non$1volatile or flash) adj memory) with modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:26
-	156	(((non$1volatile or flash) adj memory) with modem) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:35
-	38531	(inactive or nonactive or unpower$4 or off) with (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:46

-	377	(((non$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:35
-	53	((inactive or nonactive or unpower$4 or off) with (processor or microprocessor or cpu)) and ((((non$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:47
-	41064	(inactiv$5 or nonactive or deactiv$5 or unpower$4 or off) with (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 15:47
-	53	((inactiv$5 or nonactive or deactiv$5 or unpower$4 or off) with (processor or microprocessor or cpu)) and (((non$1volatile or flash) adj memory) with modem) same (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:34
-	41064	((inactiv$5 or nonactive or deactiv$5 or unpower$4 or off) with (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:35
-	26529	((inactiv$5 or nonactive or deactiv$5 or unpower$4 or off) near7 (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:35
-	47659	modem with (receiv$4 or transfer$4 or communicat$3 or stor$3 or sav$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:45
-	2190	(((inactiv$5 or nonactive or deactiv$5 or unpower$4 or off) near7 (processor or microprocessor or cpu))) and (modem with (receiv$4 or transfer$4 or communicat$3 or stor$3 or sav$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:45
-	8301	(modem with (receiv$4 or transfer$4 or communicat$3 or stor$3 or sav$3)) with (processor or microprocessor or cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:46
-	991	(((inactiv$5 or nonactive or deactiv$5 or unpower$4 or off) near7 (processor or microprocessor or cpu))) and ((modem with (receiv$4 or transfer$4 or communicat$3 or stor$3 or sav$3)) with (processor or microprocessor or cpu))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:52
-	30618	modem.ti. or modem.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 17:52
-	221	((((inactiv$5 or nonactive or deactiv$5 or unpower$4 or off) near7 (processor or microprocessor or cpu))) and ((modem with (receiv$4 or transfer$4 or communicat$3 or stor$3 or sav$3)) with (processor or microprocessor or cpu))) and (modem.ti. or modem.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 09:05
-	114	(((sleep) near7 (processor or microprocessor or cpu))) and ((modem with (receiv$4 or transfer$4 or communicat$3 or stor$3 or sav$3)) with (processor or microprocessor or cpu)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 09:11

–	14	("4058838" | "4519068" | "4569421" | "4628193" | "4680787" | "4761822" | "4806906" | "4850009" | "4916441" | "4969206" | "5008879" | "5033109" | "5055660" | "5117501").PN.	USPAT	2003/01/31 13:46
–	6	5680633.URPN.	USPAT	2003/01/31 13:47
–	18	("4418320" | "4630314" | "4646329" | "4665519" | "4682344" | "4893347" | "4951309" | "4987571" | "5020093" | "5138328" | "5230094" | "5231647" | "5313211" | "5317707" | "5347304" | "5428790" | "5444737" | "5555287").PN.	USPAT	2003/01/31 13:52
–	1	5727020.URPN.	USPAT	2003/01/31 13:52
–	14	(("4418320" | "4630314" | "4646329" | "4665519" | "4682344" | "4893347" | "4951309" | "4987571" | "5020093" | "5138328" | "5230094" | "5231647" | "5313211" | "5317707" | "5347304" | "5428790" | "5444737" | "5555287").PN.) and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/31 13:53
–	4	("4521891" | "5631952" | "5903601" | "5931950").PN.	USPAT	2003/01/31 13:55
–	0	6301297.URPN.	USPAT	2003/02/05 15:22
–	1	6167078.URPN.	USPAT	2003/01/31 14:02
–	3	("4521891" | "5903601" | "5931950").PN.	USPAT	2003/01/31 14:04
–	2	6055591.URPN.	USPAT	2003/01/31 14:05
–	7	("5161184" | "5167024" | "5606560" | "5724413" | "5822692" | "5903765" | "5909488").PN.	USPAT	2003/01/31 14:07
–	1	6418533.PN.	USPAT	2003/02/05 15:22
–	18	("4614945" | "4794368" | "4897662" | "4959860" | "5046082" | "5142691" | "5388156" | "5418537" | "5574786" | "5635940" | "5712973" | "5748084" | "5757271" | "5757916" | "5963142" | "5970227" | "5987609" | "6087937").PN.	USPAT	2003/02/05 15:35
–	7	(("4614945" | "4794368" | "4897662" | "4959860" | "5046082" | "5142691" | "5388156" | "5418537" | "5574786" | "5635940" | "5712973" | "5748084" | "5757271" | "5757916" | "5963142" | "5970227" | "5987609" | "6087937").PN.) and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/07 15:38
–	8764	(computer or processor or cpu) with (inactive or sleep or suspended)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:57
–	1465	modem same ((non$1volatile or pesistent) near3 memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:55
–	2	modem same ((non$1volitile or pesistent)near3 memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:55
–	44	((computer or processor or cpu) with (inactive or sleep or suspended)) and (modem same ((non$1volatile or pesistent) near3 memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:57
–	10208	(computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/05 16:57

–	52	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem same ((non$1volatile or pesistent) near3 memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
–	1708	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:52
–	811	713/323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
–	685	713/324	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
–	788	713/320	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:50
–	1384	713/300	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:52
–	374	((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem with (stor$3 or sav$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:58
–	2320	713/323 713/324 713/320 713/300	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:54
–	648	(713/323 713/324 713/320 713/300) and modem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:57
–	291	(713/323 713/324 713/320 713/300) and (modem same memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:57
–	239	(713/323 713/324 713/320 713/300) and ((computer or microprocessor or processor or cpu) with (inactive or sleep or suspended)) and (modem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 14:59
–	30	(("4614945" | "4794368" | "4897662" | "4959860" | "5046082" | "5142691" | "5388156" | "5418537" | "5574786" | "5635940" | "5712973" | "5748084" | "5757271" | "5757916" | "5963142" | "5970227" | "5987609" | "6087937").PN.) and (stor$3 or sav$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/07 15:39